



















FIBER OPTIC PATCH CABLE ASSEMBLIES









Standard Patch Cords Duplex Singlemode

		OS2 9/125 μ m (PC/PC) Yellow color	OS2-APC 9/125 μ m (APC/APC) Yellow color		Mixed: OS2-APC & OS2 9/125 μ m (APC/PC) Yellow color
E2000/E2000 	OS2	Fxx-E2/PC-E2/PC-92D-xx.xM	FC/MTRJ 	OS2	Fxx-FC/PC-MT/PC-91D-xx.xM
	OS2-APC	Fxx-E2/AP-E2/AP-92D-xx.xM		OS2-APC	
	Mixed	Fxx-E2/AP-E2/PC-92D-xx.xM		Mixed	Fxx-FC/AP-MT/PC-91D-xx.xM
E2000/FC 	OS2	Fxx-E2/PC-FC/PC-92D-xx.xM	FC/MU 	OS2	Fxx-FC/PC-MU/PC-92D-xx.xM
	OS2-APC	Fxx-E2/AP-FC/AP-92D-xx.xM		OS2-APC	
	Mixed	Fxx-E2/AP-FC/PC-92D-xx.xM Fxx-E2/PC-FC/AP-92D-xx.xM		Mixed	Fxx-FC/AP-MU/PC-92D-xx.xM
E2000/LC 	OS2	Fxx-E2/PC-LC/PC-92C-xx.xM	FC/SC 	OS2	Fxx-FC/PC-SC/PC-92D-xx.xM
	OS2-APC	Fxx-E2/AP-LC/AP-92C-xx.xM		OS2-APC	Fxx-FC/AP-SC/AP-92D-xx.xM
	Mixed	Fxx-E2/AP-LC/PC-92C-xx.xM Fxx-E2/PC-LC/AP-92C-xx.xM		Mixed	Fxx-FC/AP-SC/PC-92D-xx.xM Fxx-FC/PC-SC/AP-92D-xx.xM
E2000/MTRJ 	OS2	Fxx-E2/PC-MT/PC-91D-xx.xM	LC/LC 	OS2	Fxx-LC/PC-LC/PC-92C-xx.xM
	OS2-APC			OS2-APC	Fxx-LC/AP-LC/AP-92C-xx.xM
	Mixed	Fxx-E2/AP-MT/PC-91D-xx.xM		Mixed	Fxx-LC/AP-LC/PC-92C-xx.xM
E2000/SC 	OS2	Fxx-E2/PC-SC/PC-92D-xx.xM	LC/MPO 	OS2	Fxx-LC/PC-MF/PC-92C-xx.xM
	OS2-APC	Fxx-E2/AP-SC/AP-92D-xx.xM		OS2-APC	Fxx-LC/AP-MF/AP-92C-xx.xM
	Mixed	Fxx-E2/AP-SC/PC-92D-xx.xM Fxx-E2/PC-SC/AP-92D-xx.xM		Mixed	Fxx-LC/AP-MF/PC-92C-xx.xM Fxx-LC/PC-MF/AP-92C-xx.xM
E2000/ST 	OS2	Fxx-E2/PC-ST/PC-92D-xx.xM	LC/MTRJ 	OS2	Fxx-LC/PC-MT/PC-91C-xx.xM
	OS2-APC			OS2-APC	
	Mixed	Fxx-E2/AP-ST/PC-92D-xx.xM		Mixed	Fxx-LC/AP-MT/PC-91C-xx.xM
FC/FC 	OS2	Fxx-FC/PC-FC/PC-92D-xx.xM	LC/MU 	OS2	Fxx-LC/PC-MU/PC-92C-xx.xM
	OS2-APC	Fxx-FC/AP-FC/AP-92D-xx.xM		OS2-APC	
	Mixed	Fxx-FC/AP-FC/PC-92D-xx.xM		Mixed	Fxx-LC/AP-MU/PC-92C-xx.xM
FC/LC 	OS2	Fxx-FC/PC-LC/PC-92C-xx.xM	LC/SC 	OS2	Fxx-LC/PC-SC/PC-92C-xx.xM
	OS2-APC	Fxx-FC/AP-LC/AP-92C-xx.xM		OS2-APC	Fxx-LC/AP-SC/AP-92C-xx.xM
	Mixed	Fxx-FC/AP-LC/PC-92C-xx.xM Fxx-FC/PC-LC/AP-92C-xx.xM		Mixed	Fxx-LC/AP-SC/PC-92C-xx.xM Fxx-LC/PC-SC/AP-92C-xx.xM
FC/MPO 	OS2	Fxx-FC/PC-MF/PC-92D-xx.xM	LC/ST 	OS2	Fxx-LC/PC-ST/PC-92C-xx.xM
	OS2-APC	Fxx-FC/AP-MF/AP-92D-xx.xM		OS2-APC	
	Mixed	Fxx-FC/AP-MF/PC-92D-xx.xM Fxx-FC/PC-MF/AP-92D-xx.xM		Mixed	Fxx-LC/AP-ST/PC-92C-xx.xM

Replace "xx.x" by length in "meters"

FIBER OPTIC PATCH CABLE ASSEMBLIES

Standard Patch Cords Duplex Singlemode

		OS2 9/125 μ m (PC/PC) Yellow color	OS2-APC 9/125 μ m (APC/APC) Yellow color		Mixed: OS2-APC & OS2 9/125 μ m (APC/PC) Yellow color
MPO/SC 	OS2	Fxx-MF/PC-SC/PC-92D-xx.xM	MTRJ/ST 	OS2	Fxx-MT/PC-ST/PC-91D-xx.xM
	OS2-APC	Fxx-MF/AP-SC/AP-92D-xx.xM		OS2-APC	
	Mixed	Fxx-MF/AP-SC/PC-92D-xx.xM		Mixed	
		Fxx-MF/PC-SC/AP-92D-xx.xM			
MPO/ST 	OS2	Fxx-MF/PC-ST/PC-92D-xx.xM	SC/SC 	OS2	Fxx-SC/PC-SC/PC-92D-xx.xM
	OS2-APC			OS2-APC	Fxx-SC/AP-SC/AP-92D-xx.xM
	Mixed	Fxx-MF/AP-ST/PC-92D-xx.xM		Mixed	Fxx-SC/AP-SC/PC-92D-xx.xM
MTRJ/MTRJ 	OS2	Fxx-MT/PC-MT/PC-91D-xx.xM	SC/ST 	OS2	Fxx-SC/PC-ST/PC-92D-xx.xM
	OS2-APC			OS2-APC	
	Mixed			Mixed	Fxx-SC/AP-ST/PC-92D-xx.xM
MTRJ/SC 	OS2	Fxx-MT/PC-SC/PC-91D-xx.xM	ST/ST 	OS2	Fxx-ST/PC-ST/PC-92D-xx.xM
	OS2-APC			OS2-APC	
	Mixed	Fxx-MT/PC-SC/AP-91D-xx.xM		Mixed	

Replace "xx.x" by length in "meters"

FIBER OPTIC PATCH CABLE ASSEMBLIES

Standard Patch Cords

Duplex Singlemode

OPTIONS

Cable length:	Replace "xx.x" by cable length in meter (example: 07.0 = 7 meter cable)
Standard cable lengths:	1, 2, 3, 5 & 10 meters (others on demand)
Cable diameter:	standard = 2.00mm (1.80mm for MTRJ) 3.00mm = option on request
Ultra polished OS2:	PC
Angled polished OS2-APC:	AP (only for E2000, FC, LC, SC)
Color:	Yellow (standard) Others (on request)

ORDERING CODE STRUCTURE

